

Status:

Network Incident Report
United States Secret Service/Financial Crimes Division/Electronic Crimes Branch
Telephone: (202) 406-5850 FAX: (202) 406-9233 E-mail: ecb@secretservice.gov

☐ Site under attack☐ Incident investigation in progress☐ Incident closed☐	
What assistance do you require: Immediate call None needed at this time Follow-up on all affected sites Contact the "hacking" site(s)	
Site involved (name & acronym):	
POC for incident:  Name/Title Organization 24 hr. x 7 d. contact information	<b>.</b>
Alternate POC for incident:  Name/Title  Organization  24 hr. x 7 d. contact information	- -
Type of incident:  ☐ Malicious code (i.e. virus, Trojan horse, wormetc.) ☐ Probes/scans (non-malicious data gatheringrecurring, ☐ Attack (successful/unsuccessful intrusions including sca ☐ Denial-of-service event ☐ High embarrassment factor ☐ Deemed significant by site	
Date and time of the incident (specify time zone):	
Summary of incident:	
Type of service, information, or project compromised (☐ Sensitive unclassified such as privacy, proprietary, or so	
Other unclassified	
Number of systems affected  Nature of loss, if any  System downtime  Cost of incident	
Name of other sites contacted: _aw Enforcement Other(s)	<del>.</del>

## **Details for Malicious Code**

□ Diskette, CDetc. □ E-mail attachment □ Software download  Primary system or network involved:  IP addresses or sub-net addresses □ OS version(s) □ NOS version(s) □ NOS version(s) ○ Other  Other affected systems or networks (IPs and OSs):  Type of malicious code:  Virus □ Trojan/horse □ Worm □ Other  Copy sent to:  Method of Operation (for new malicious code): □ Type: macro, boot, memory resident, polymorphic, self encrypting, stealth □ Payload □ Software infected □ Files erased, modified, deleted, encrypted (any special significance to these files) □ Self propagating via e-mail □ Detectable changes □ Other features  How was it detected:  Remediation (what was done to return the system(s) to trusted operation): □ Anti-virus product gotten, updated, or installed for automatic operation □ New policy on attachments □ Firewall, routers, or e-mail servers updated to detect and scan attachments □ Other			
□ E-mail attachment □ Software download  Primary system or network involved:  IP addresses or sub-net addresses □ Os version(s) NOS version(s) Other affected systems or networks (IPs and OSs):  Type of malicious code:  Virus □ Trojan/horse □ Worm Other  Other affected to:  Method of Operation (for new malicious code): □ Type: macro, boot, memory resident, polymorphic, self encrypting, stealth □ Payload □ Software infected □ Files erased, modified, deleted, encrypted (any special significance to these files) □ Self propagating via e-mail □ Detectable changes □ Other features  How was it detected:  Remediation (what was done to return the system(s) to trusted operation): □ Anti-virus product gotten, updated, or installed for automatic operation □ New policy on attachments □ Firewali, routers, or e-mail servers updated to detect and scan attachments □ Other □ Firewali, routers, or e-mail servers updated to detect and scan attachments □ Other □ Firewali, routers, or e-mail servers updated to detect and scan attachments □ Other □ Firewali, routers, or e-mail servers updated to detect and scan attachments	Apparent Source:		
□ Software download  Primary system or network involved:  IP addresses or sub-net addresses  OS version(s)  NOS version(s)  Other			
Primary system or network involved:  IP addresses or sub-net addresses			
IP addresses or sub-net addresses OS version(s) NOS version(s) Other			
OS version(s) NOS version(s) Other affected systems or networks (IPs and OSs):  Type of malicious code:  Virus Trojan/horse Worm Other  Copy sent to:  Method of Operation (for new malicious code):  Type: macro, boot, memory resident, polymorphic, self encrypting, stealth Payload Software infected Files erased, modified, deleted, encrypted (any special significance to these files) Self propagating via e-mail Detectable changes Other features How was it detected:  Remediation (what was done to return the system(s) to trusted operation): Anti-virus product gotten, updated, or installed for automatic operation New policy on attachments Firewall, routers, or e-mail servers updated to detect and scan attachments			
NOS version(s) Other			
Other affected systems or networks (IPs and OSs):  Type of malicious code:  Virus	NOS version(s)		
Type of malicious code:  Virus	Other		
Virus Trojan/horse Worm Other  Copy sent to:  Method of Operation (for new malicious code):  Type: macro, boot, memory resident, polymorphic, self encrypting, stealth Payload Software infected Files erased, modified, deleted, encrypted (any special significance to these files) Self propagating via e-mail Detectable changes Other features  How was it detected:  Remediation (what was done to return the system(s) to trusted operation): Anti-virus product gotten, updated, or installed for automatic operation New policy on attachments Firewall, routers, or e-mail servers updated to detect and scan attachments Other	Other affected systems or networks (IPs and OSs):		
Virus Trojan/horse Worm Other  Copy sent to:  Method of Operation (for new malicious code):  Type: macro, boot, memory resident, polymorphic, self encrypting, stealth Payload Software infected Files erased, modified, deleted, encrypted (any special significance to these files) Self propagating via e-mail Detectable changes Other features  How was it detected:  Remediation (what was done to return the system(s) to trusted operation): Anti-virus product gotten, updated, or installed for automatic operation New policy on attachments Firewall, routers, or e-mail servers updated to detect and scan attachments Other			
Trojan/horse	••		
Worm			
Other	•		
Method of Operation (for new malicious code):  □ Type: macro, boot, memory resident, polymorphic, self encrypting, stealth □ Payload □ Software infected □ Files erased, modified, deleted, encrypted (any special significance to these files) □ Self propagating via e-mail □ Detectable changes □ Other features  How was it detected:  Remediation (what was done to return the system(s) to trusted operation): □ Anti-virus product gotten, updated, or installed for automatic operation □ New policy on attachments □ Firewall, routers, or e-mail servers updated to detect and scan attachments □ Other	Other		
□ Type: macro, boot, memory resident, polymorphic, self encrypting, stealth □ Payload □ Software infected □ Files erased, modified, deleted, encrypted (any special significance to these files) □ Self propagating via e-mail □ Detectable changes □ Other features  How was it detected:  Remediation (what was done to return the system(s) to trusted operation): □ Anti-virus product gotten, updated, or installed for automatic operation □ New policy on attachments □ Firewall, routers, or e-mail servers updated to detect and scan attachments □ Other	Copy sent to:		
□ Payload □ Software infected □ Files erased, modified, deleted, encrypted (any special significance to these files) □ Self propagating via e-mail □ Detectable changes □ Other features  How was it detected:  Remediation (what was done to return the system(s) to trusted operation): □ Anti-virus product gotten, updated, or installed for automatic operation □ New policy on attachments □ Firewall, routers, or e-mail servers updated to detect and scan attachments □ Other	Method of Operation (for new malicious code):	Details:	
□ Software infected □ Files erased, modified, deleted, encrypted (any special significance to these files) □ Self propagating via e-mail □ Detectable changes □ Other features  How was it detected:  Remediation (what was done to return the system(s) to trusted operation): □ Anti-virus product gotten, updated, or installed for automatic operation □ New policy on attachments □ Firewall, routers, or e-mail servers updated to detect and scan attachments □ Other	Type: macro, boot, memory resident, polymorphic, self encrypting, stealth		
□ Files erased, modified, deleted, encrypted (any special significance to these files) □ Self propagating via e-mail □ Detectable changes □ Other features  How was it detected:  Remediation (what was done to return the system(s) to trusted operation): □ Anti-virus product gotten, updated, or installed for automatic operation □ New policy on attachments □ Firewall, routers, or e-mail servers updated to detect and scan attachments □ Other	·		
□ Self propagating via e-mail □ Detectable changes □ Other features  How was it detected:  Remediation (what was done to return the system(s) to trusted operation): □ Anti-virus product gotten, updated, or installed for automatic operation □ New policy on attachments □ Firewall, routers, or e-mail servers updated to detect and scan attachments □ Other			
□ Detectable changes □ Other features  How was it detected:  Remediation (what was done to return the system(s) to trusted operation): □ Anti-virus product gotten, updated, or installed for automatic operation □ New policy on attachments □ Firewall, routers, or e-mail servers updated to detect and scan attachments □ Other			
□ Other features  How was it detected:  Remediation (what was done to return the system(s) to trusted operation): □ Anti-virus product gotten, updated, or installed for automatic operation □ New policy on attachments □ Firewall, routers, or e-mail servers updated to detect and scan attachments □ Other			
Remediation (what was done to return the system(s) to trusted operation):  Anti-virus product gotten, updated, or installed for automatic operation  New policy on attachments  Firewall, routers, or e-mail servers updated to detect and scan attachments  Other	□ Other features		
□ Anti-virus product gotten, updated, or installed for automatic operation □ New policy on attachments □ Firewall, routers, or e-mail servers updated to detect and scan attachments □ Other	How was it detected:		
□ Anti-virus product gotten, updated, or installed for automatic operation □ New policy on attachments □ Firewall, routers, or e-mail servers updated to detect and scan attachments □ Other			
□ New policy on attachments □ Firewall, routers, or e-mail servers updated to detect and scan attachments □ Other	Remediation (what was done to return the system(s) to trusted operation):	Details:	
□ Firewall, routers, or e-mail servers updated to detect and scan attachments □ Other	☐ Anti-virus product gotten, updated, or installed for automatic operation		
□ Other	New policy on attachments		
	·		
/ MARKATIAN AATHITIANIAN	Additional comments:	I	

UNITED STATES SECRET SERVICE Page 2 SSF 4017 (06/2006)

### **Details for Probes and Scans**

Apparent Source:		
IP address		
Host name		
Location of attacking host: □ Domestic	□ Foreign □ Insider	
OS version(s) NOS version(s) Other		- - -
Other affected systems or networks (IPs	and OSs):	
Method of Operation:  ☐ Ports probed/scanned ☐ Order of ports or IP addresses scanned ☐ Probing tool ☐ Anything that makes this probe unique	Details:	
How was it detected:	Details:	
□ Another site □ Incident response team □ Log files □ Packet sniffer □ Intrusion detection system □ Anomalous behavior □ User		
Log file excerpts:		
Additional comments:		

# **Details for Unauthorized Access**

Apparent Source:  IP address		
Other affected systems or networks (IPs and OSs):		
Avenue of attack:  Sniffed/guessed/cracked password Trusted host access Vulnerability exploited Hacker tool used Utility or port targeted Social engineering	Details:	
Level of access gained-root/administrator, user:		
Method of operation of the attack (more detailed description of what was done):  Port(s) or protocol(s) attacked Attack tool(s) used, if known Installed hacker tools such as rootkit, sniffers, 10phtcrack, zapetc. Site(s) hacker used to download tools Where hacker tools were installed Established a service such as IRC Looked around at who is logged on Trojanned, listed, examined, deleted, modified, created, or copied files Left a backdoor Names of accounts created and passwords used Left unusual or unauthorized processes running Launched attacks on other systems or sites Other	Details:	

Details for Unauthorized Access (Co	intinuea)
How detected::	
□ Another site □ Incident response team □ Log files □ Packet sniffer □ Intrusion detection software □ Anomalous behavior □ User □ Alarm tripped □ TCP Wrappers □ TRIPWIRED □ Other	
Log file excerpts:	
Remediation (What was done to return the system(s) to trusted operation):	Details:
□ Patches applied □ Scanners run □ Security software installed □ Unneeded services and applications removed □ OS reloaded □ Restored from backup □ Application moved to another system □ Memory or disk space increased □ Moved behind a filtering router or firewall □ Hidden files detected and removed □ Trojan software detected and removed	
□ Left unchanged to monitor hacker □ Other	
Additional comments:	

### **Details for Denial-of-Service Incident**

Apparent Source:  IP address			
Location of attacking host: ☐ Domestic ☐ Foreign ☐ Insider			
Primary system(s) or network(s) involved:  IP addresses or sub-net addresses  OS version(s)  NOS version(s)  Other			
Other affected systems or networks (IPs and OSs):			
Method of Operation:  Tool used Packet flood Malicious packet IP Spoofing Ports attacked Anything that makes this event unique	Details:		
Remediation (what was done to protect the system(s)):	Details:		
□ Application moved to another system □ Memory or disk space increased □ Shadow server installed □ Moved behind a filtering router or firewall □ Other			
Log file excerpts:			
Additional comments:			